



ZHONGDING

SHEEN

35%EXTRAFINE MERINO WOOL 35%VISCOSE 30%InResST®RECYCLED NYLON

2/48Nm 2/60Nm

SHEEN

2/48Nm 35%EXTRAFINE MERINO WOOL 35%VISCOSE 30%InResST®RECYCLED NYLON

16gg



ZHONGDING



SHEEN

35%EXTRAFINE MERINO WOOL 35%VISCOSE
30%InResST® RECYCLED NYLON
2/48Nm 2/60Nm

19.5µm 超细美丽诺羊毛 | InResST®再生尼龙 | 可轻柔机洗

19.5µm Extrafine Merino Wool | InResST®Recycled Nylon | Gentle Machine Washable

A



LIMESTONE
N0001

B



MILKY
N0006★

C



CHEESE
N0011



STORM
N0002



RATTAN
N0007



TOFFEE
N0012



GRANITE
N0003★



PEANUT
N0008



CEDAR
N0013



GREASE
N0004



MOSS
N0009



ELM
N0014



OBSIDIAN
N0005★



ROOT
N0010



DEEP FOREST
N0015



ZHONGDING

D



SHORE
N0016

E



ROSE WATER
N0021

F



CREPE
N0026



SKY
N0017



NEBULAR
N0022



BOUQUET
N0027



JUNIPER
N0018



SUGAR PLUM
N0023



CHILI PASTE
N0028



NEPTUNE
N0019



CYBERPUNK
N0024



PALACE
N0029



ANCHOR
N0020



DEEP PURPLE
N0025



LEATHER
N0030



ZHONGDING

SHEEN

成份: 35%超细美丽诺羊毛	支数: 2/48Nm	编织: 横机14针-16针
35%粘胶	2/60Nm	横机16针-18针
30%InResST® 再生锦纶		

后整理: 在两次洗缩过程中,使用专用助剂可以获得更佳的手感。第一次水洗旨在清除纺纱时使用的和毛油助剂和染色过程中遗留的浮色。第二次洗涤主要用于调整织物的手感。

水温: 30°C

浴比: 1:25

第一次水洗:

- ◆ 根据衣服的重量, 加入1%非离子助剂
- ◆ 浸泡10分钟
- ◆ 漂洗及脱水

第二次水洗:

- ◆ 根据衣服的重量, 加入2-4%的助剂
- ◆ 浸泡30分钟, 转动3-5分钟, 可根据需要适当增减转动时间以满足手感要求
- ◆ 脱水
- ◆ 70-80°C标准转笼烘干(浅亮色建议 60°C)

色牢度: 若选用颜色对比强烈的条纹织物, 请注意特别的色牢度要求

备注:

色卡所有颜色均可提供样纱服务: 素色每色不超3KG, 夹花色每色不超20KG

带有"★"标记的色号表示同时具备2/48Nm和2/60Nm的纱线库存

客户定纺素色或夹花色最低起订量为每色20KG

素色或夹花色定纺20-50KG, 每色额外收取附加费20%



轻柔机洗



请勿漂白



低温熨烫



干洗



平摊晾干

COMPOSITION: 35%Extrafine Merino Wool	COUNT: 2/48Nm	GAUGE: Knitting F. 14-16
35%Viscose	2/60Nm	Knitting F. 16-18
30%InResST® Recycled Nylon		

RECOMMENDED FINISHING:

Utilizing specialized detergent during the two bath processes can enhance the handle. The initial wash aims at removing sizing agents, spin finishes, and residual dyestuffs from the dyeing and spinning processes,while the subsequent wash aims to enhance the handfeel of the fabric.

Water temperature:30°C

Liquor ratio: 1:25

BATH 1:

- ◆ Add 1% non-ionic agent according to the weight of the garment
- ◆ Soak for 10 minutes
- ◆ Rinse and drain

BATH 2:

- ◆ Add 2-4% of detergent according to the weight of the garment
- ◆ Soak for 30 minutes and rotate for 3-5 minutes, adjusting the rotation time as required to achieve the desired handfeel
- ◆ Drain
- ◆ Standard tumble dry at 70-80°C(60°C recommended for light shades)

COLOUR FASTNESS:

For contrasting striped fabrics, please adhere to specific color fastness requirements

REMARKS:

Sample yarn service available for all colors in colorcard. Solid colors max. 3KG/color ; Melange color max. 20KG/color

Color codes marked with "★" indicate that both 2/48Nm and 2/60Nm yarns are available in stock

MOQ for customer own Solid or Melange color is 20KG/color

Additional charge for customer own color: 20% for 20-50KG/Solid or Melange color



Gentle
Machine Wash



Do Not
Bleach



Iron Low



Dry Clean



Dry Flat

Please be advised that the color codes have been updated.
Kindly refer to the table below for the latest color codes.

New Color Code	Original Color Code	Column#	New Color Code	Original Color Code	Column#	New Color Code	Original Color Code	Column#
N0001	ZP710876	A1	N0011	ZP110885	C1	N0021	ZP410895	E1
N0002	ZP710877	A2	N0012	ZP120886	C2	N0022	ZP610896	E2
N0003★	ZP720878★	A3	N0013	ZP220887	C3	N0023	ZP630897	E3
N0004	ZP730879	A4	N0014	ZP220888	C4	N0024	ZP630898	E4
N0005★	ZP740880★	A5	N0015	ZP230889	C5	N0025	ZP330899	E5
N0006★	ZP010881★	B1	N0016	ZP510890	D1	N0026	ZP410900	F1
N0007	ZP311195	B2	N0017	ZP520891	D2	N0027	ZP420901	F2
N0008	ZP320882	B3	N0018	ZP520892	D3	N0028	ZP430902	F3
N0009	ZP320883	B4	N0019	ZP530893	D4	N0029	ZP430903	F4
N0010	ZP330884	B5	N0020	ZP530894	D5	N0030	ZP330904	F5

注：带有"★"标记的色号表示同时具备2/48Nm和2/60Nm的纱线库存。

Note: Color codes marked with "★" indicate that both 2/48Nm and 2/60Nm yarns are available in stock.



LENZING
EcoVero™



amfori  **BSCI**
全球贸易协会 - 行商有道

CHINA OFFICE

- **Zhejiang Zhongding Textile Co., Ltd.**
No. 388 Zhongshan Road, Chongfu Industrial Zone,
Tongxiang City, Zhejiang Province, China
TEL: +86 573 8822 8888
EMAIL: service@zdtex.com

HONG KONG OFFICE

- **Zhongding International Development Ltd.**
Room 1007, 10/F Saxon Tower,
7 Cheung Shun Street, Lai Chi Kok,
Kowloon, Hong Kong
TEL: +852 3565 5216
EMAIL: matthew@zdtex.com

JAPAN OFFICE

- **Italo.fil**
5-17-6 Minami Aoyama,
Minato-Ku, Tokyo 107-0062, Japan
TEL: +34 609 804 641
EMAIL: nakamura@italo-fil.co.jp

UNITED KINGDOM OFFICE

- **Zhong Ding Int (UK) Company Ltd.**
54, Chaveney Road,
Quorn, Leicestershire,
LE12 8AD, UK
TEL: +44 780 327 7088
EMAIL: richard@zdint.co.uk

GERMANY OFFICE

- **Zhong Ding Int GmbH.**
Stolco Haus, DFC Dialog Büro,
Steinstraße 16-18,
Düsseldorf, D-40212, Germany
TEL: +39 348 155 3609
EMAIL: richard@zdint.co.uk

SPAIN OFFICE

- **Zhong Ding Int.**
Via Augusta 236, 5B,
08021 Barcelona, Spain
TEL: +34 609 804 641
EMAIL: sara@zdint.co.uk